

#### **Product technical sheet**

## **CLIMBOO WD1487**





#### **Material specification**

- Construction made of the highest quality laminated, impregnated and double coated pine wood 90 x 90 mm without knots, secured from the top with polypropylene plugs,
- Metal anchors made of hot dip galvanized steel, protecting the wood from direct contact with the ground to prevent rot and to extend the product's life,
- Stainless steel bars,
- Stainless steel screws and/or screws covered with plastic caps,
- Safe end caps made of polypropylene,



22/07/2022


VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





biuro@vinci-play.com info@vinci-play.com www.vinci-play.com












#### Guarantee



e -I and 15 year guarantee - Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements

Detailed information in the guarantee card

# Product technical sheet CLIMBOO WD1487


#### **Product data**

Length	290 cm	
Width	255 cm	
Total height	230 cm	
Age group	7 - 16 years	
Number of users	18 kids	
Safety zone	30,7 m2	
Free fall height	220 cm	
In accordance with norm EN	1176-1:2017+A1:2023	
Weight of the heaviest part	13 kg	
Dimensions of the largest part	220x9x9 cm	
Availability of spare parts	YES	
Installation time	3 h	
Data is subject to change without prior notice		

Data is subject to change without prior notice.

#### **Additional information**

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;



10

5 ye of st and

5 year guarantee - Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com



### Surfaces according to EN 1176-1:2017+A1:2023


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20 to 80	30	≤200
		40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		220


## **Product technical sheet CLIMBOO WD1487**

#### Amount of safe surface corresponding with free fall height:

HIC 130	1,5 m <sup>2</sup>
HIC 160	6,0 m <sup>2</sup>
HIC 190	4,1 m <sup>2</sup>
HIC 220	19,1 m²

Data is subject to change without prior notice.





22/07/2022



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com