



## **Product technical sheet**

# **CROOC 0304**







3 - 12 years

years 9 kids

24,0 m<sup>2</sup>



## **Material specification**

- Stainless steel structure of 80 x 80 mm profile,
- Platforms and steps made of durable anti-slip and waterproof HPL plate,
- Roofs and side panels and seats made of durable HPL plate, resistant to weather conditions,
- Slides made of stainless steel with durable HPL side panels,
- Fireman's pole made of stainless steel,
- Screws covered with plastic caps and/or stainless steel screws,
- Safe end caps on top of the structure made of rubber or polypropylene,



#### **Physical development**



sliding



climbing













## **Product technical sheet**

# **CROOC 0304**

#### **Product data**

Length	253 cm	
Width	263 cm	
Total height	245 cm	
Age group	3 - 12 years	
Number of users	9 kids	
Safety zone	24,0 m2	
Free fall height	90 cm	
The height of the platforms	90 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	38 kg	
Dimensions of the largest part	305x8x8 cm	
Availability of spare parts	YES	
Installation time	4,5 h	


Data is subject to change without prior notice.


#### **Additional information**


- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- slide should not be installed southwards;
- render is for reference only, the actual appearance of the equipment and its color may vary;











### **Guarantee**



30 year guarantee -Structural strength of steel and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





## Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
hark (A (1)	Particle size from 20	30	≤200
	to 80	40	≤300
woodchips (A,C)  Particle size from to 30	Particle size from 5	30	≤200
	to 30	40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		100

#### **Product technical sheet**

# **CROOC 0304**

# Amount of safe surface corresponding with free fall height:

HIC 90	16,6 m <sup>2</sup>
HIC 100	7,4 m²

Data is subject to change without prior notice.

